Alcos 52869 C5

STATE OF ALASKA

DEPARTMENT OF NATURAL RESOURCESOFFICE OF PROJECT MANAGEMENT AND PERMITTING

☐ SOUTHCENTRAL REGIONAL OFFICE 550 W 7th AVENUE SUITE 705 ANCHORAGE, ALASKA 99501 PH: (907) 269-7470 FAX: (907) 269-3891 ☐ CENTRAL OFFICE 302 GOLD STREET, SUITE 202 P.O. Box 111030 JUNEAU, ALASKA 99801 PH: (907) 465-3562 FAX: (907) 465-3075 J PIPELINE COORDINATOR'S OFFICE 411 WEST 4TH AVENUE, SUITE 2C ANCHORAGE, ALASKA 99501 PH: (907) 2857-1351 FAX: (907) 272-3829

FRANK H. MURKOWSKI, GOVERNOR

11/27/06

Dan Magone Magone Marine P.O. Box 920247

SUBJECT:

Icicle Seafoods Fish Waste Removal ACMP Consistency Response

Dear Mr. Magone:

The Office of Project Management and Permitting (OPMP) has reviewed the Coastal Project Questionnaire (CPQ) and other pertinent information regarding the above referenced project. Based upon the information you have supplied, your proposed project does not require further State review for consistency with the Alaska Coastal Management Program (ACMP) at this time.

You are proposing to clean up discharge Pile A in Beaver Inlet. This action was a condition of a previous authorization that was reviewed by the ACMP in 1999, ID # AK9905-08AA. This project, as proposed, would not need further ACMP review, as long as the primary disposal site is utilized. However, if you intend to use the proposed secondary disposal site within Beaver Inlet, you will need to obtain an authorization for the use of these tidelands for disposal purposes. Your current Tideland Permit, ADL 226233, does not include this authorization. If there is a possibility that you will have to utilize this secondary disposal site, you will need to contact the Alaska Department of Natural Resources (ADNR), Division of Mining Land and Water (DMLW) to obtain the necessary authorization. Your contact at ADNR DMLW will be Clark Cox. Please feel free to contact him at 907-269-8565, if you feel that a tideland authorization will be needed.

You are not relieved from obtaining required permits and approvals from state, federal or local agencies, before you begin the proposed work. Nothing in this letter excuses you from compliance with other statutes, ordinances, or regulations that may affect any proposed work.

This decision is <u>ONLY</u> for the proposed project as described. If there are any changes to the proposed project, including its intended use, prior to or during its siting, construction, or operation, contact this office immediately to determine if further review and approval of the revised project is necessary.

Thank you for your cooperation with the ACMP.

Sincerely,

Nicole Allison Project Review Coordinator

encl: CPQ, page 1&2

cc: Karol Kohlmainen, AWCRSA
William Ashton, DEC, Anchorage
Ellen Simpson/Mark Fink, DFG, Anchorage
Stewart Seaberg, DNR/OHMP
Ashley Reed, DNR/MLW
Clark Cox, DNR/MLW
Margie Goatley, DNR/SHPO
Medrick Northrop, COE Regulatory Branch